

Appendix 5 Risks of stillbirths and neonatal deaths in dichorionic and monochorionic twin pregnancies between 26⁺⁰ weeks and 33⁺⁶ weeks [posted as supplied by author]

Gestational age (weeks)	No. of stillbirths /No. of ongoing pregnancies n/N	Stillbirth crude rate x 1000 pregnancies (95% CI)	No. of neonatal deaths /No. of women delivered n/N	Neonatal death weekly risk x 1000 women delivered (95% CI)
Dichorionic pregnancies				
26 ⁺⁰ - 27 ⁺⁶	20/26685	0.7 (0.5-1.2)	40/316	195.5 (92.8-365.9)
28 ⁺⁰ - 29 ⁺⁶	38/26247	1.4 (1.0-2.0)	40/513	72.0 (32.7-151.0)
30 ⁺⁰ - 31 ⁺⁶	40/25511	1.6 (1.1-2.1)	17/905	24.2 (10.5-54.6)
32 ⁺⁰ - 33 ⁺⁶	49/24178	2.0 (1.5-2.7)	9/1514	7.8 (3.2-19.3)
Monochorionic pregnancies				
26 ⁺⁰ - 27 ⁺⁶	21/4115	5.1 (3.2-7.8)	12/44	203.4 (66.3-478.5)
28 ⁺⁰ - 29 ⁺⁶	18/3998	4.5 (2.7-7.1)	12/79	84.5 (26.6-237.6)
30 ⁺⁰ - 31 ⁺⁶	15/3830	3.9 (2.2-6.5)	11/132	32.3 (9.4-105.1)
32 ⁺⁰ - 33 ⁺⁶	16/3546	4.5 (2.6-7.3)	3/202	11.9 (3.02-46.5)